EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	88961	(grid$1 or window$1 or framework or interface or form or template or format$1 or structur$3 or module$1 or program$4 or application$1 or model$1) with (build$3 or evaluat$3 or configur$3 or determin$3 or search$3 or quer$3 or compar$3 or track$3 or detect$3) with (computer$1 or hardward$1 or storage or device$1 or print$2) with (capacit$3 or availab$6 or space or size or allocat$3 or status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:06
S2	322	(grid$1 or window$1 or framework or interface or form or template or format$1 or structur$3 or module$1 or program$4 or application$1 or model$1) near (build$3 or evaluat$3 or configur$3 or determin$3 or search$3 or quer$3 or compar$3 or track$3 or detect$3) near (computer$1 or hardward$1 or storage or device$1 or print$2) near (capacit$3 or availab$6 or allocat$3 or status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:08
S3	65	(grid$1 or window$1 or framework or interface or form or template or format$1 or structur$3 or module$1 or program$4 or application$1 or model$1) adj (build$3 or evaluat$3 or configur$3 or determin$3 or search$3 or quer$3 or compar$3 or track$3 or detect$3) near (computer$1 or hardward$1 or device$1 or print$2) adj (capacit$3 or availab$6 or allocat$3 or status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:09

S4	30	S3 and @ad<"20030307"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:10
S5	2749	(grid$1 or window$1 or framework or interface or form or template or format $1 or structur$3 or module $1 or program$4 or application$1 or model$1) with (build$3 or evaluat$3 or configur$3 or determin $3 or search$3 or quer$3 or compar$3 or track$3 or detect$3) with (computer $1 or device$1 or print $2) adj (capacit$3 or availab$6 or state or status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:19
S6	147	(grid$1 or window$1 or framework or interface or form or template or format $1 or structur$3 or module $1 or program$4 or application$1 or model$1) near (build$3 or evaluat$3 or configur$3 or determin $3 or search$3 or quer$3 or compar$3 or track$3 or detect$3) near (computer $1 or device$1 or print $2) adj (capacit$3 or availab$6 or state or status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:20
S7	6	(grid$1 or window$1 or framework or interface or form or template or format $1 or structur$3 or module $1 or program$4 or application$1 or model$1) near (build$3 or evaluat$3 or configur$3 or determin $3 or search$3 or quer$3 or compar$3 or track$3 or detect$3) near (print$3) adj (capacit$3 or availab $6 or state or status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:21

S8	12	(grid$1 or window$1 or framework or interface or form or template or format $1 or structur$3 or module $1 or program$4 or application$1 or model$1 or driver) near (build$3 or evaluat$3 or configur$3 or determin$3 or search $3 or quer$3 or compar$3 or track$3 or detect$3) near (print$3) adj (capacit$3 or availab$6 or state or status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:33
S9	7	S8 and @ad< "20030307"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:33
S10	18	(grid$1 or window$1 or framework or interface or form or template or format $1 or structur$3 or module $1 or program$4 or application$1 or model$1 or driver) with (build$3 or evaluat$3 or configur$3 or determin$3 or search $3 or quer$3 or compar$3 or track$3 or detect$3) with (print$3) adj (capacit$3 or availab$6 or state or status) with (address$3 or location$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:38
S11	5	S10 and @ad< "20030307"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:39
S12	9	(grid$1 or window$1 or framework or interface or form or template or format $1 or structur$3 or module $1 or program$4 or application$1 or model$1) near (build$3 or evaluat$3 or configur$3 or determin $3 or search$3 or quer$3 or compar$3 or track$3 or detect$3) near (computer $1 or hardward$1 or storage or device$1 or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:41

		print$2) near (capacit$3 or availab$6 or allocat$3 or status) with (address $4 or location$1)				
S13	2	S12 and @ad<"20030307"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:42
S14	554	(grid$1 or window$1 or framework or interface or form or template or format $1 or structur$3 or module $1 or program$4 or application$1 or model$1) with (build$3 or evaluat$3 or configur$3 or determin $3 or search$3 or quer$3 or compar$3 or track$3 or detect$3) with (computer $1 or hardward$1 or storage or device$1 or print$3) near (capacit$3 or availab$6 or allocat$3 or status) with (address $4 or location$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:43
S15	242	(grid$1 or window$1 or framework or interface or form or template or format $1 or structur$3 or module $1 or program$4 or application$1 or model$1) with (build$3 or evaluat$3 or configur$3 or determin $3 or search$3 or quer$3 or compar$3 or track$3 or detect$3) with (device$1 or print$3) near (capacit $3 or availab$6 or allocat $3 or status) with (address$4 or location$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 06:44

| S16 | 14 | (grid$1 or window$1 or framework or interface or form or template or format $1 or structur$3 or module $1 or program$4 or application$1 or model$1) with (build$3 or evaluat$3 or configur$3 or determin $3 or search$3 or quer$3 or compar$3 or track$3 or detect$3) with (device$1 or print$3) near (capacit $3 or availab$6 or allocat $3 or status) with (address$4 or location$1) with ((mac or ip) adj address$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/07 06:45 |
| S17 | 7 | S16 and @ad<"20030307" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/07 06:46 |

4/7/2009 9:03:20 AM